



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018


Edition 1.1

Section 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Product identifier	ATLAS AGENT FOR REMOVAL OF STAINS OF PAINTS, PRIMERS AND RENDERS
1.2 Relevant identified uses of the mixture and uses advised against	Agent for removal of stains from dispersive products: renders, paints (acrylic, silicate, silicone, latex), primers, impregnating agents, stains of grease and tar. <i>Detailed information concerning the use, properties and instruction for use of the mortar are listed in the technical data sheet/product catalogue. The usage not listed in the ATLAS Sp. z o. o. documents should be previously consulted with a company representative.</i>
1.3 Details of the supplier of the Safety Data Sheet	ATLAS Sp. z o.o. Św. Teresy 105, 91-222 Łódź, Poland telephone: +48 42 631 89 45 fax: +48 42 631 89 46 Person responsible for the Safety Data Sheet: msds@atlas.com.pl
1.4 Emergency telephone number	112 – alarm number for mobiles and land line phones 999 – emergency 998 – fire service 997 – police +48 800 168 083 – available Monday – Friday from 8.00 am till 4.00 pm, outside office hours information can be left on the answering machine

Section 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture	Pictogram: GHS07 Signal word: WARNING H315 Causes skin irritation H319 Causes serious eye irritation
2.2 Label elements	EUH 208 Contains mixture of 5-chloride-2-methyl-2H-isothiasol-3-one [EC 247-500-7] and 2-methyl-2H-isothiasol-3-one [EC 220-239-6] (3:1). May produce an allergic reaction. P102 Keep out of reach of children. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P362 Take off contaminated clothing and wash before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

	<p>LABEL:</p> <div style="text-align: center;">  </div> <p>WARNING <i>Causes skin irritation</i> <i>Causes serious eye irritation</i> <i>Contains mixture of 5-chloride-2-methyl-2H-isothiasol-3-one [EC 247-500-7] and 2-methyl-2H-isothiasol-3-one [EC 220-239-6] (3:1). May produce an allergic reaction.</i></p> <p><i>Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.</i></p>
2.3 Other hazards	No data on meeting the criteria for PBT and vPvB, according to Annex XIII of REACH Regulation on PBT and vPvB. Testing has not been executed.

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances	Not applicable.			
3.2 Mixtures	Water solution of butylglycol, butyldiglycol, sodium silicate, benzyl alcohol, sodium and potassium cumene sulfonate.			
3.2.1a Dangerous components	Name	Registration No	Content [%]	Classification and labelling (see point 16)
	Butylglycol	CAS: 111-76-2 EC No: 203-905-0 Registration: 01-2119475108-36-XXXX	0-6	GHS07 Danger Eye Irrit. 2, H319 Acute Tox. 4 H302 Acute Tox.4 H312 Acute Tox. 4 H332 Skin Irrit 2 H315
	Butyldiglycol	CAS: 112-34-5 EC No: 203-961-6 Registration: 01-2119475104-44-XXXX	0-3	GHS07 Danger Eye Irrit. 2, H319
	Sodium silicate	CAS: 1344-09-8 EC No: 215-687-4	< 2,6	GHS07 Danger Skin Irrit. 2 H315 Eye Irrit. 2 H319
	Benzyl alcohol	CAS: 100-51-6 EC No: 202-859-9 Registration: 01-2119492630-38-XXXX	0-5	GHS07 Danger Acute Tox. 4, H 302 Acute Tox. 4, H332 Eye Irrit. 2 H319
	Potassium cumene sulfonate	CAS: 164524-02-1 EC No: 629-764-9 Registration: 01-2119489427-24-0000	0-2	GHS07 Danger Eye Irrit 2 H319
	Sodium cumene sulfonate	CAS: 15763-76-5 EC No: 2390854-6 Registration: 01-2119489411-37-0000	0-2	GHS07 Danger Eye Irrit 2 H319



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1

	Formaldehyde	CAS 50-00-0 EC: 200-001-8 Index. 605-001-00-5 Registration: 01-2119488953-20	0- 0,0002	GHS 06 Acute Tox. 3, GHS 07 Skin Sens. 1, GHS 05 Skin Corr. 1B, GHS 06 Acute Tox. 3 GHS 06 Acute Tox. 3 GHS 08 Muta. 2 GHS 08 Carc. 1B
	Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl)imidazo[4,5-d]imidazol2,5(1H,3H)-dione	CAS:5395-50-6 EC:226-408-0	0,05-0,1%	GHS 07 Skin Sens 1B
	Mixture of 5-chloride-2-methyl-2H-isothiazol-3-one [EC247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-2396] (3:1)	CAS:55965-84-9 EC:611-341-5 613-167-00-5	0-0,002%	GHS 06 Acute Tox 3 GHS 06 Acute Tox 3 GHS 06 Acute Tox 3 GHS 07 Skin Sens GHS 09 Aquatic Acute 1 GHS 09 Aquatic Chronic 1 GHS 05 Skin Corr 1B
3.2.1b Substances with specific highest allowed concentration at workplace according to EU	Benzyl alcohol, butylglycol, butyldiglycol – listed in point 8.1			
3.2.1c Persistent, bioaccumulable and toxic substances or very persistent and with strong ability to bioaccumulate substances	According to Annex XIII of REACH Regulation on PBT and vPvB, the mixture does not meet the criteria for PBT and vPvB.			
Other information	<ul style="list-style-type: none"> For the classification of the product the actual content of hazardous ingredients was used. Shelf life period in conditions as listed in Section 7 is 12 months from the manufacturing date shown on the packaging. 			

Section 4. FIRST AID MEASURES

4.1 Description of first aid measures	<p>After inhalation: Move injured person to fresh air and observe, in case of breathing difficulties, dizziness, nausea or loss of consciousness get medical assistance immediately. In case of inhibition of breathing apply assisted ventilation or artificial respiration.</p> <p>After skin contact: Remove contaminated clothing. Rinse the place exposed to mixture action with water and then wash with soap.</p> <p>After contact with eyes: Do not rub eyes. Rinse immediately with plenty of water within min. 15 minutes, keep the eyes wide open during rinsing. Remove any contact lenses. Contact an eye specialist.</p> <p>After ingestion: Give plenty of water to drink and, if possible, induce vomiting. Get medical attention.</p>
4.2 Most important symptoms and effects, both acute and delayed	Follow remarks concerning safety and use shown on the label. Immediately remove product from skin, eyes and mucosae, which allows to prevent any delayed exposure effects.
4.3 Indication of any immediate medical attention and special treatment needed	In case of any symptoms of concern get medical assistance immediately, show safety data sheet, packaging or label. In case of contact with eyes or mucosae medical consultation is recommended. Access to running water is recommended. Use protective creams in case of repeated or long term contact with skin.



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1

Section 5. FIREFIGHTING MEASURES

Each employee should ask information concerning fire hazard at his worksite and closest environment. Worksite should be kept in due order. Flammable products must not be kept close to electrical devices, heaters and other sources of fire. In case of fire one should immediately, by all means, alarm people in the risk zone and call fire service (see: section 1.4) giving information essential for firefighting commencement (give the event site – full address, what is burning or what type of threat occurs, is there threat for human life, telephone number from which one is alarming as well as name and surname).

Next, using local extinguishing media, start firefighting and help people at risk, if necessary, start evacuation of people and property. These actions should be executed so that there is no start of panic, which can seize people at risk caused by fire and smoke. Panic can lead to unwanted and taking their toll accidents during rescue and firefighting actions. That is why when carrying any actions in case of fire one should give careful consideration when taking a decision. Until fire service comes the action is led by a particularly appointed person. Remember to protect the airway from smoke by using damp cloths and to move in bottom parts of rooms of high smoke level.

5.1 Extinguishing media	Suitable extinguishing media: Foam, dry powder, sand, carbon dioxide, water – spray stream Unsuitable extinguishing media: Do not use water in full stream.
5.2 Special hazards arising from the mixture	In case of fire hazardous gases (CO ₂ , CO) can form, in particular burning conditions forming of other hazardous substances is not unlikely. Product is inflammable, packaging is flammable – bottle made of polyethylene.
5.3 Advice for firefighters	One should wear full set of protective clothing and individual breathing apparatus. Do not lead water from firefighting into aquatic environment. Use water stream to cool surfaces exposed to fire action. In each action firefighter, through contact with hazardous substances and element, is subject to injuries. That is why professional protective equipment is necessary. The basic equipment is a helmet protecting firefighter's head, made of proper fibers and characterized with high strength. Eyes and face should be protected with a face shield made of polycarbonate. Nape should be protected with a special piece of cloth. In certain circumstances firefighter can wear noncombustible balaclava protecting against high temperature. Proper specialist clothing made of material protecting against fire, mechanical damage and waterproof. In case of great dustiness/smoke level firefighter should be equipped with breathing apparatus, hindering dust and smoke penetration into the airway.

Section 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	<p>Avoid situations which may lead to emergency. Follow regulations and rules concerning occupational health and safety, as well as fire regulations, work regulations and order set at worksite, care for equipment, do not use equipment out of order. For material handling adhere to section 7, for individual protection measures adhere to section 8.</p> <p>For persons not belonging to staff applying aid: One should estimate situation, make sure if there is no further danger to any people nearby (victims, ones applying aid, etc.), if needed, secure the incident site and call for help. In case of lack of danger to human life and health, one should commence actions leading to limitation of product penetration to environment and commence cleaning works.</p> <p>For persons applying help: One should check if a victim responds to stimulus. If the victim is unconscious, immediately open the airway by gently tilting the head back and gently lifting the chin forward. Check if the person breaths (feel for the person's breath on your cheek). - If the victim breaths normally place the person in the recovery position and check one's breath regularly. - If the victim does not breath start the cardiopulmonary resuscitation (CPR): Place the heel of one hand over the center of the person's chest, between the nipples. Place your other hand on top of the first hand. Keep your elbows straight, and push straight down on (compress) the chest at least 2 inches (approximately 5 centimeters). Push hard at a rate of about 100 compressions a minute. After 30 chest compressions, open the person's airway and give two rescue</p>
--	---



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1

	<p>breaths (pinch the nostrils, open the mouth keeping the chin lifted and, after taking deep breath, tightly sealing victim's mouth, blow air into lungs). If the victim's chest does not rise one should examine the mouth to make sure no foreign material occluding the airway is inside, remove it immediately, and check if the head is tilted enough and chin lifted. Continue chest compressions and rescue breaths in ratio 30:2 until emergency personnel take over or the victim starts breathing by oneself.</p> <p>If at incident site there is none available to give rescue breaths, then provide chest compressions only.</p> <p>In case of choking one should encourage the victim to cough, and in case of serious choking bend the victim forward and give up to 5 blows between the shoulder blades with the heel of your hand.</p>
6.2 Environmental precautions	Counter release of greater volume of material into environment (sewage system, ground or surface water and soil) by using self – contained sewage systems, allow to gather, in case of breaching, without possibility of its passing into environment (backup sewage system, self – contained), use of backup reservoirs or backup packaging.
6.3 Methods and material for containment and cleaning up	For small mixture leakages – transfer to labelled, sealed container in order to regain or dispose the product safely. Absorb the remains with absorbing material (sand) and dispose appropriately. Remove contaminated soil. Small leakage can be neutralized with lime. Large leakage – collect mechanically or with the use of appropriate absorbent and pass to destruct. Guidelines concerning spilled material disposal shown in section 13.
6.4 Reference to other sections	Individual protection measures: section 8 Waste treatment: section 13

Section 7. HANDLING AND STORAGE

7.1 Precautions for safe handling	Avoid contact with skin and eyes. Prevent penetration to the environment. Do not eat and drink during work. Wash hands after use. Remove contaminated clothing and protective measures before entering places designated for eating.
7.2 Conditions for safe storage, including any incompatibilities	Keep in sealed original and labelled packages. Keep in dry and cool place, protect against high temperature (above 30 °C) and freezing – the product freezes and irreversibly loses its performance in temperature below 0 °C. Protect against direct sunshine. Incompatible materials: not applicable.
7.3 Specific end uses	Use in accordance to occupational health and safety regulations. Provide proper ventilation, especially in closed rooms. Detailed information concerning the use, properties and instruction for use of the mortar are listed in the technical data sheet/product catalogue. The usage not listed in the ATLAS Sp. z o. o. documents should be previously consulted with a company representative.

Section 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters	In case of occurrence in the mixture of ingredients listed in section 3.2.1 according to Minister of Labour and Social Policy Regulation of 6 June 2014 concerning maximum allowable concentration and intensity of health harmful factors at workplace (Dz.U.2014 no 0 pos.817), monitoring at workplace is obligatory.
• TLV and STEL	Benzyl alcohol: TLV – 240 mg/m ³ Butylglycol TLV - 98 mg/m ³ / STEL - 200 mg/m ³ Butyldiglycol TLV - 67 mg/m ³ / STEL - 100 mg/m ³
• MABC	Not applicable
• monitoring	Minister of Health Regulation of 2 February 2011 on testing and measurement of health harmful factors at workplace (Dz.U. 2011 No 33 pos. 166).
8.2 Exposure controls	
8.2.1 Appropriate engineering controls	Provide proper room ventilation during work with mixture and individual protection measures. Provide access to running water and do not allow to wash hands with water from a bucket used for tools washing.
8.2.2 Individual protection measures	



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018

Update date: 17.09.2018

Edition 1.1

• Respiratory protection	Not required
• Skin protection	Working clothes with long sleeves and legs with proper protection preventing the material from getting underneath. Waterproof, long working footwear. It is advisable to use the clothing and footwear chemically resistant to this mixture. Hand protection: In case of possibility of contact with the product use protective gloves (breakthrough time above 480 min. according to PN-EN 375 standard). Wear protective gloves on clean hands only. After taking the gloves off wash and dry hands thoroughly. Protective creams for hands recommended. Used or defective gloves should be immediately replaced with new ones.
• Eye/face protection	Eye protection – protective goggles protecting against sprays of chemical substances (meeting the standard EN 166).
• Thermal protection	Not required
8.2.3 Environmental exposure control	
Avoid contamination outflows, watercourses and soil.	

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties	Appearance: colourless liquid Odour: perceptible Odour threshold: not applicable pH: 10-11 Melting point / freezing point: not applicable Initial boiling point and boiling range: above 100 °C Flash point: not applicable Evaporation rate: not applicable Flammability: non-flammable Upper / lower flammability or explosive limits: not applicable Vapour pressure: not applicable Vapour density: not applicable Relative density: approx. 1.0 g/cm ³ Solubility: in commercial form mixable in water Partition coefficient: n – octanol/water: not applicable Auto – ignitron temperature: not applicable Decomposition temperature: not applicable Viscosity: 80 cP (viscometer Brookfield DV II+ S05 20rpm) Explosive properties: no Oxidising properties: no
9.2 Other information	Not applicable

Section 10. STABILITY AND REACTIVITY

10.1 Reactivity	Not applicable
10.2 Chemical stability	Not applicable
10.3 Possibility of hazardous reactions	None known while storing and using according to current regulations.
10.4 Conditions to avoid	Avoid temperatures lower than +5 and higher than +25°C. Avoid sub-zero temperatures.
10.5 Incompatible materials	Avoid contact with strong oxidants.
10.6 Hazardous decomposition products	None known while storing and using according to current regulations.

Section 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	Data for main compounds Water glass LD50/rat/orally > 2000 mg/kg Butyldiglycol LD50/rat/orally - 1746 mg/kg Benzyl alcohol LD50/rat/orally - 1230 mg/kg
Routes of entry:	
• respiratory	Not applicable



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018

Update date: 17.09.2018

Edition 1.1

• digestive	It is unlikely that product get digested, secondary ingestion may occur in case of vomiting – swallowing, In case of swallowing it is recommended to get a medical help.
• skin	Product irritates skin. Avoid contact with skin.
• eyes	Avoid contact with eyes. Irritates eyes. Get medical advice after getting product in eye.

Section 12. ECOLOGICAL INFORMATION

12.1 Toxicity	Not applicable
12.2 Persistence and degradability	> 80% (Method: Zahn-Wellens biodegradation test)
12.3 Bioaccumulative potential	Bioaccumulative factor has not been set.
12.4 Mobility in soil	Non-mobile due to low solubility with water and high specific weight.
12.5 Results of PBT and vPvB assessment	Not applicable
12.6 Other adverse effects	Not applicable

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
Waste safe treatment:	Solid waste and hardened product can be treated as construction debris. Collection to landfill sites after agreement with proper authorities. Waste holder is obliged by law to recycle it first. If, due to technological reasons, recycling is not possible or is not justified because of ecological or economic reasons, such waste should be disposed according to environment protection requirements and waste disposal plans. Follow rules of Waste Act of 14 December 2012 (Dz.U. 2013 no 0 pos. 21) with further changes.
Packaging waste treatment:	Follow rules of Act on packaging and packaging waste treatment of 13 June 2013 (Dz.U.2013 no.0 pos.888). Packaging soiled with product should be treated as product.
Waste code:	Product: 07 07 99 (<i>Wastes from organic chemical processes - Wastes not otherwise specified</i>) Packaging: 15 01 02 (<i>Packaging waste - Plastic packaging</i>)

Section 14. TRANSPORT INFORMATION

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard classes	Product transported in original packaging does not cause hazard in transport. Does not require special treatment and labelling according to current transport regulations.
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Follow rules of Act of 1 July 2005 on amendment of act on carriage of dangerous goods by road and on amendment of some other acts (Dz.U. 2005 No 141 pos. 1184) with further changes.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

Section 15. REGULATORY INFORMATION

15.1 Safety, health and environment regulations/ legislation specific for the mixture	
• Legal acts on the classification and labelling of packaging of substances and mixtures classification	Phrases indicating hazard type and qualifying conditions of safe use of hazardous mixture according to Regulation (EC) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (<i>see: Section 2.1 and 2.2</i>).
• Other legal acts	- Act on chemical substances and their mixtures of 25 February 2011 (Dz.U.2011 no.63 pos.322) with all further changes, - Regulation (EC) No 1907/2006 of the European Parliament and of the Council of



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018

Update date: 17.09.2018

Edition 1.1

	<p>18 December 2006 concerning Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC with further changes</p> <ul style="list-style-type: none">- Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)- Minister of Health Regulation of 30 December 2004 on occupational health and safety related to occurrence of chemical factors at workplace (Dz.U.2005 No 11 pos. 86) with further changes- Minister of Economy Regulation of 21 December 2005 on fundamental requirements for individual protection measures (Dz.U.2005 No 259 pos. 2173)- Government Declaration of 24 September 2002 on coming into effect of amendments to Appendix A and B to European Agreement concerning International Carriage of Dangerous Goods by Road (ADR), concluded in Geneva on 30 September 1957 (Dz.U.2002 No 194 pos.1629) with further changes- Act of 20 April 2004 on amendment and repealing of some acts in relation to gaining the European Union membership by the Republic of Poland (Dz.U.2004 No 96 pos. 959)- Minister of Economy, Labour and Social Policy Regulation of 26 September 1997 on general occupational health and safety rules (Dz.U.1997 No 129 pos. 844) with further changes- Minister of the Environment Regulation of 9 December 2014 on waste catalogue (Dz.U.2014 No 0 pos.1923)- Minister of Economy Regulation of 29 January 2013 on the regulations on manufacturing, turnover or application of hazardous substances and mixtures and introduction into turnover or application of substances which contain hazardous substances or mixtures (Dz. U. 2013 no. 0 pos. 1314)- Minister of Economy Regulation of 10 October 2013 on the application of limits mentioned in appendix XVII, regulation no 1907/2006 (Dz. U. 2013 no 0 pos. 1314)- Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (Official Journal L 142 , 16/06/2000 P. 0047 – 0050)- Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC (Official Journal L 38, 9.2.2006)- Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC (Official Journal L 38, 19.12.2009)
15.2 Chemical safety assessment	Does not apply to mixtures.

Section 16. OTHER INFORMATION



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1

List of H - phrases	<p>H302 Harmful if swallowed H312 Harmful in contact with skin H315 Causes skin irritation H319 Causes serious eye irritation H332 Harmful if inhaled H301 Toxic if swallowed H304 May be fatal if swallowed and enters airways H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction H318 Causes serious eye damage H331 Toxic if inhaled H336 May cause drowsiness or dizziness H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long-lasting effects H411 Toxic to aquatic life with long-lasting effects</p> <p><i>Symbols and phrases above refer to hazards caused by pure substances listed in point 3. They do not refer to mixture.</i></p>
List of abbreviations and acronyms	<p>CAS No – Chemical Abstract Service number PBT – Persistent, Bioaccumulative, and Toxic vPvB – very Persistent very Bioaccumulative EC No – number assigned to a chemical substance in the European Inventory of Existing Chemical Substances, or number assigned to a substance in the European List of Notified Chemical Substances, or number in the list of chemical substances provided in the "No-longer polymers" publication. REACH regulation – Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals. CMR substance/mixture – carcinogenic, mutagenic or toxic for reproduction substance/mixture. ADR – international agreement concerning the carriage of dangerous goods by road TLV – Threshold Limit Value STEL – Short – term Exposure Limit. GHS – Globally Harmonized System of Classification and Labelling of Chemicals CLP – Regulation aligning the GHS system MABC – Maximum Allowable Biological Concentration GHS07, GHS05 – pictograms GHS according to appendix V to CLP STOT SE3 – Specific target organ toxicity (single exposure) (Category 3) Skin Irrit. 2 – Skin irritation (Category 2) Eye Irrit. 2 – Eye irritation (Category 2) Skin Corr. 1B – Skin corrosion (Category 1)</p>
Training advice	Not applicable
Limitations of use	Not applicable
Other	<ul style="list-style-type: none">• Mixture reported to Chemical Substances Supervisor.• When working with material one should mind dangers such as sprains, especially of back, arms and shoulders as a result of lifting and handling of bags with mortar, mortar mixtures, etc. Over the long term, frequent lifting of heavy items by workpeople can result in serious spine injuries.• Safety Data Sheet elaborated in ATLAS Sp. z o.o.• According to definition of the Regulation (EC) No. 1907/2006 of the European Parliament and of the Council, product is a mixture and is not subject to registration in REACH system.• According to Regulation (EC) No. 1272/2008 of the European Parliament and the Council, after 01 June 2015 mixtures are classified, labelled and packed according to CLP Regulation listed above.• According to Regulation (EC) No. 1272/2008 of the European Parliament and the Council, mixtures placed on the market before 01 June 2015 and holding old




Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1

	classification, stay on the market until 01 June 2017 with appropriate safety data sheet.
Key literature basing on which this safety data sheet has been prepared	The information on this data sheet reflects the currently available knowledge and has been gathered with regard to safety requirements, simultaneously not guaranteeing product properties. The data sheet does not release the user from applying the legislation, administrative and product rules, occupational health and safety rules. In elaboration of the data sheet the Center for Construction Research and Training and ECA (European Cement Association - Cembureau) library was used.
Indication of changes in case of an update	Changes in the safety data sheet in relation to the previous edition marked in the text with this mark: 



Safety Data Sheet

According to Regulation (EC) No 1907/2006

Elaboration date: 23.07.2018
Update date: 17.09.2018

Edition 1.1